

Evaluating Assembly Quality

Michael Schatz

Dec 8, 2014

USDA/ARS Workshop



Outline

1. Assembly review
 1. Assembly by analogy
 2. Causes of Mis-assemblies
2. Evaluating Assembly Quality
 1. Assemblathon
 2. Size Statistics
 3. Mate-pair Happiness
 4. CEGMA
3. RNA-seq specific challenges



Shredded Book Reconstruction

- Dickens accidentally shreds the first printing of A Tale of Two Cities
 - Text printed on 5 long spools

It was	the	best	of	times,	it	was	the	worst	of	times,	it	was	the	age	of	wisdom,	it	was	the	age	of	foolishness,	...	
It was	the	best	of	times,	it	was	the	worst	of	times,	it	was	the	age	of	wisdom,	it	was	the	age	of	foolishness,	...	
It was	the	best	of	times,	it	was	the	worst	of	times,	it	was	the	age	of	wisdom,	it	was	the	age	of	foolishness,	...	
It was	the	best	of	times,	it	was	the	worst	of	times,	it	was	the	age	of	wisdom,	it	was	the	age	of	foolishness,	...	
It	was	the	best	of	times,	it	was	the	worst	of	times,	it	was	the	age	of	wisdom,	it	was	the	age	of	foolishness,	...

- How can he reconstruct the text?
 - 5 copies x 138,656 words / 5 words per fragment = 138k fragments
 - The short fragments from every copy are mixed together
 - Some fragments are identical

Greedy Reconstruction

It was the best of
age of wisdom, it was
best of times, it was
it was the age of
it was the age of
it was the worst of
of times, it was the
of times, it was the
of wisdom, it was the
the age of wisdom, it
the best of times, it
the worst of times, it
times, it was the age
times, it was the worst
was the age of wisdom,
was the age of foolishness,
was the best of times,
was the worst of times,
wisdom, it was the age
worst of times, it was

It was the best of
was the best of times,
the best of times, it
best of times, it was
of times, it was the
of times, it was the
times, it was the worst
times, it was the age

The repeated sequence make the correct reconstruction ambiguous

- It was the best of times, it was the [worst/age]

Model the assembly problem as a graph problem

de Bruijn Graph Construction

- $D_k = (V, E)$
 - $V =$ All length- k subfragments ($k < l$)
 - $E =$ Directed edges between consecutive subfragments
 - Nodes overlap by $k-1$ words

Original Fragment

It was the best of

Directed Edge

It was the best → was the best of


- Locally constructed graph reveals the global sequence structure
 - Overlaps between sequences implicitly computed

de Bruijn, 1946


Idury and Waterman, 1995

Pevzner, Tang, Waterman, 2001

de Bruijn Graph Assembly




de Bruijn Graph Assembly



Ingredients for a good assembly


Coverage



High coverage is required

- Oversample the genome to ensure every base is sequenced with long overlaps between reads
- Biased coverage will also fragment assembly


Read Length



Reads & mates must be longer than the repeats

- Short reads will have **false overlaps** forming hairball assembly graphs
- With long enough reads, assemble entire chromosomes into contigs

Quality




Errors obscure overlaps

- Reads are assembled by finding kmers shared in pair of reads
- High error rate requires very short seeds, increasing complexity and forming assembly hairballs

Current challenges in *de novo* plant genome sequencing and assembly

Schatz MC, Witkowski, McCombie, WVR (2012) *Genome Biology*. 12:243


Typical sequencing coverage




Imagine raindrops on a sidewalk

We want to cover the entire sidewalk but each drop costs \$1


Ix sequencing




2x sequencing




4x sequencing



8x sequencing



Genome Coverage Distribution




Expect Poisson distribution on depth

- Standard Deviation = $\sqrt{\text{cov}}$

This is the mathematical model \Rightarrow reality may be much worse



- Double your coverage for diploid genomes
- Can use somewhat lower coverage in a population to find common variants

de Bruijn Graph Assembly



Unitigging / Unipathing

- After simplification and correction, compress graph down to its non-branching initial contigs
 - Aka “unitigs”, “unipaths”
 - Unitigs end because of (1) lack of coverage, (2) errors, (3) heterozygosity/isoform differences, and (4) repeats




Repetitive regions

Repeat Type	Definition / Example	Prevalence
Low-complexity DNA / Microsatellites	$(b_1b_2\dots b_k)^N$ where $1 \leq k \leq 6$ CACACACACACACACACA	2%
SINEs (Short Interspersed Nuclear Elements)	<i>Alu</i> sequence (~280 bp) Mariner elements (~80 bp)	13%
LINEs (Long Interspersed Nuclear Elements)	~500 – 5,000 bp	21%
LTR (long terminal repeat) retrotransposons	Ty1-copia, Ty3-gypsy, Pao-BEL (~100 – 5,000 bp)	8%
Other DNA transposons		3%
Gene families & segmental duplications		4%

- Over 50% of mammalian genomes are repetitive
 - Large plant genomes tend to be even worse
 - Wheat: 16 Gbp; Pine: 24 Gbp

The full tale

... it was the best of times it was the worst of times ...
... it was the age of wisdom it was the age of foolishness ...
... it was the epoch of belief it was the epoch of incredulity ...
... it was the season of light it was the season of darkness ...
... it was the spring of hope it was the winter of despair ...



Errors in the graph



(Chaisson, 2009)

Clip Tips	Pop Bubbles
<p data-bbox="846 537 1247 597">was the worst of times,</p> <p data-bbox="842 651 1251 711">was the worst of tymes,</p> <p data-bbox="865 756 1228 816">the worst of times, it</p>	<p data-bbox="1486 518 1887 578">was the worst of times,</p> <p data-bbox="1482 607 1892 667">was the worst of tymes,</p> <p data-bbox="1505 698 1869 758">times, it was the age</p> <p data-bbox="1495 787 1879 847">tymes, it was the age</p>
<p data-bbox="926 1068 1266 1128">the worst of tymes,</p> <p data-bbox="846 1162 1144 1222">was the worst of</p> <p data-bbox="915 1256 1247 1317">the worst of times,</p> <p data-bbox="1014 1351 1318 1411">worst of times, it</p>	<p data-bbox="1619 1068 1766 1128">tymes,</p> <p data-bbox="1381 1162 1680 1222">was the worst of</p> <p data-bbox="1717 1175 1971 1235">it was the age</p> <p data-bbox="1612 1256 1749 1317">times,</p>

Outline

1. Assembly review
 1. Assembly by analogy
 2. Causes of Mis-assemblies
2. Evaluating Assembly Quality
 1. Assemblathon
 2. Size Statistics
 3. Mate-pairs
 4. CEGMA
3. RNA-seq specific challenges



THE ASSEMBLATHON

- Attempt to answer the question:
 “What makes a good assembly?”
- Organizers provided sequence data to assembly experts around the world
 - Assemblathon 1: ~100Mbp simulated genome
 - Assemblathon 2: 3 vertebrate genomes each ~1GB
- Results demonstrate trade-offs assemblers must make

Assemblathon 1: A competitive assessment of de novo short read assembly methods.


Earl, DA, et al. (2011) Genome Research. doi: 10.1101/gr.126599.111

Assemblathon 2: Evaluating de novo methods of genome assembly in three vertebrate species

Bradnam, KR. et al (2013) GigaScience 2:10 doi:10.1186/2047-217X-2-10

Assembly Results


Scaffolds



Scaffold Paths



Contig Paths



Final Rankings


ID	Overall	CPNG50	SPNG50	Struct.	CC50	Subs.	Copy. Num.	Cov. Tot.	Cov. CDS
BGI	36	★					★	★	★
Broad	37	★	★	★	★				
WTSI-S	46		★	★	★	★			
CSHL	52	★							★
BCCGSC	53							★	★
DOEJGI	56		★	★	★	★			
RHUL	58								
WTSI-P	64							★	
EBI	64						★		
CRACS	64					★			

- ALLPATHS and SOAPdenovo came out neck-and-neck followed closely behind by Celera Assembler, SGA, and ABySS
- My recommendation for “typical” short read assembly is to use ALLPATHS
- Single molecule sequencing becoming extremely attractive if you have access

N50 size

Def: 50% of the genome is in contigs as large as the N50 value

Example: 1 Mbp genome




N50 size = 30 kbp

(300k+100k+45k+45k+30k = 520k \geq 500kbp)

A greater N50 is indicative of improvement in every dimension:


- Better resolution of genes and flanking regulatory regions
- Better resolution of transposons and other complex sequences
- Better resolution of chromosome organization
- Better sequence for all downstream analysis

**19+ vertebrates
assembled with
ALLPATHS-LG**



Ingredients for a good assembly


Coverage



High coverage is required

- Oversample the genome to ensure every base is sequenced with long overlaps between reads
- Biased coverage will also fragment assembly


Read Length



Reads & mates must be longer than the repeats

- Short reads will have **false overlaps** forming hairball assembly graphs
- With long enough reads, assemble entire chromosomes into contigs

Quality



Errors obscure overlaps


- Reads are assembled by finding kmers shared in pair of reads
- High error rate requires very short seeds, increasing complexity and forming assembly hairballs


Current challenges in *de novo* plant genome sequencing and assembly

Schatz MC, Witkowski, McCombie, WVR (2012) *Genome Biology*. 12:243

Estimating coverage with Kmers



Reference: 

Reads: 



Estimating coverage with Kmers

Reference: 



NA12878


QC: Read Coverage

Reference: 




Errors

Coverage




Repeats




Wheat Genome

(*A. tauschii* / CSHL)




Heterozygous Genome



Contact: @mike_schatz

Ingredients for a good assembly


Coverage



High coverage is required

- Oversample the genome to ensure every base is sequenced with long overlaps between reads
- Biased coverage will also fragment assembly


Read Length



Reads & mates must be longer than the repeats

- Short reads will have **false overlaps** forming hairball assembly graphs
- With long enough reads, assemble entire chromosomes into contigs

Quality



Errors obscure overlaps

- Reads are assembled by finding kmers shared in pair of reads
- High error rate requires very short seeds, increasing complexity and forming assembly hairballs

Current challenges in *de novo* plant genome sequencing and assembly

Schatz MC, Witkowski, McCombie, WVR (2012) *Genome Biology*. 12:243


Assembly Validation



Automatically scan an assembly to locate misassembly signatures for further analysis and correction

Assembly-validation pipeline

1. Evaluate Mate Pairs & Libraries
2. Evaluate Read Alignments
3. Evaluate Read Breakpoints
4. Analyze Depth of Coverage



Genome Assembly forensics: finding the elusive mis-assembly.

Phillippy, AM, Schatz, MC, Pop, M. (2008) *Genome Biology* 9:R55.

Paired-end and Mate-pairs

Paired-end sequencing

- Read one end of the molecule, flip, and read the other end
- Generate pair of reads separated by up to 500bp with inward orientation



Mate-pair sequencing

- Circularize long molecules (1-10kbp), shear into fragments, & sequence
- Mate failures create short paired-end reads





C/E Statistic

- The presence of individual compressed or expanded mates is rare but expected.
- Do the inserts spanning a given position differ from the rest of the library?
 - Flag large differences as potential misassemblies
 - Even if each individual mate is “happy”
- Compute the statistic at all positions
 - $(\text{Local Mean} - \text{Global Mean}) / \text{Scaling Factor}$
- Introduced by Jim Yorke's group at UMD

Sampling the Genome

Normal Library
 Count=10000, Mean=4000, SD=400





8 inserts: 3kb-6kb

Local Mean: 4048

$$\text{C/E Stat: } \frac{(4048-4000)}{(400 / \sqrt{8})} = +0.33$$

Near 0 indicates overall happiness

C/E-Statistic: Expansion





8 inserts: 3.2kb-6kb

Local Mean: 4461

$$\text{C/E Stat: } \frac{(4461 - 4000)}{(400 / \sqrt{8})} = +3.26$$

C/E Stat ≥ 3.0 indicates Expansion

C/E-Statistic: Compression



8 inserts: 3.2 kb-4.8kb


Local Mean: 3488

$$\text{C/E Stat: } \frac{(3488 - 4000)}{(400 / \sqrt{8})} = -3.62$$



C/E Stat \leq -3.0 indicates
Compression

Assembly Forensics

Truth:



Mis-assembled:




Hawkeye & AMOS: Visualizing and assessing the quality of genome assemblies

Schatz, M.C. et al. (2011) *Briefings in Bioinformatics*. doi: 10.1093/bib/bbr074


Long Read Sequencing Technology

PacBio RS II




CSHL/PacBio

Moleculo



(Voskoboynik et al. 2013)

Oxford Nanopore




CSHL/ONT

O. sativa pv Indica (IR64)

Genome size: ~370 Mb
Chromosome N50: ~29.7 Mbp




Assembly	Contig NG50
MiSeq Fragments 25x 456bp (3 runs 2x300 @ 450 FLASH)	19 kbp
“ALLPATHS-recipe” 50x 2x100bp @ 180 36x 2x50bp @ 2100 51x 2x50bp @ 4800	18 kbp
HGAP 22.7x @ 10kbp	4.0 Mbp
Nipponbare BAC-by-BAC Assembly	5.1 Mbp



Ingredients for a good assembly


Coverage



High coverage is required

- Oversample the genome to ensure every base is sequenced with long overlaps between reads
- Biased coverage will also fragment assembly


Read Length



Reads & mates must be longer than the repeats

- Short reads will have **false overlaps** forming hairball assembly graphs
- With long enough reads, assemble entire chromosomes into contigs

Quality



Errors obscure overlaps

- Reads are assembled by finding kmers shared in pair of reads
- High error rate requires very short seeds, increasing complexity and forming assembly hairballs


Current challenges in *de novo* plant genome sequencing and assembly

Schatz MC, Witkowski, McCombie, WVR (2012) *Genome Biology*. 12:243

Detection and Correction with Quake


1. Count all “Q-mers” in reads

- Fit coverage distribution to mixture model of errors and regular coverage
- Automatically decide threshold for trusted k-mers



2. Correction Algorithm

- Consider editing erroneous kmers into trusted kmers in decreasing likelihood
- Includes quality values, nucleotide/nucleotide substitution rate





Quake: quality-aware detection and correction of sequencing reads.

Kelley, DR, Schatz, MC, Salzberg, SL (2010) Genome Biology. 11:R116

Gene Analysis with CEGMA

- Defined a set of 248 “core eukaryotic genes” (CEGs)
 - Highly conserved and in low copy numbers across all known eukaryotic species
 - House keeping genes and other basic functions
- Developed a robust alignment-based search tool to seek out those genes in your new assembly
 - Your ability to discover these 248 CEGs is highly correlated with finding the rest of the genes in the genome



Assessing the gene space in draft genomes


Parra, G, Bradnam, B, Ning, Z, Keane, T, Korf, I (2009) 37(1) 289–297. doi:10.1093/nar/gkn916

Outline




1. Assembly review
 1. Assembly by analogy
 2. Causes of Mis-assemblies
2. Evaluating Assembly Quality
 1. Assemblathon
 2. Size Statistics
 3. Mate-pairs
 4. CEGMA
3. RNA-seq specific challenges


RNA-seq Overview



RNA-seq Overview



RNA-seq Challenges




Challenge 1: Eukaryotic genes are spliced

Solution: Use a spliced aligner, and assemble isoforms

TopHat: discovering spliced junctions with RNA-Seq.

Trapnell et al (2009) *Bioinformatics*. 25:0 | 105-111




Challenge 2: Read Count \neq Transcript abundance

Solution: Infer underlying abundances (e.g. FPKM)

Transcript assembly and quantification by RNA-seq

Trapnell et al (2010) *Nat. Biotech.* 25(5): 511-515




Challenge 3: Transcript abundances are stochastic

Solution: Replicates, replicates, and more replicates

RNA-seq differential expression studies: more sequence or more replication?

Liu et al (2013) *Bioinformatics*. doi:10.1093/bioinformatics/btt688

Assembly Summary



Assembly quality depends on

- 1. Coverage:** low coverage is mathematically hopeless
 - 2. Repeat composition:** high repeat content is challenging
 - 3. Read length:** longer reads help resolve repeats
 - 4. Error rate:** errors reduce coverage, obscure true overlaps
- Assembly is a hierarchical, starting from individual reads, build high confidence contigs/unitigs, incorporate the mates to build scaffolds
 - Extensive error correction is the key to getting the best assembly possible from a given data set
 - Watch out for collapsed repeats & other misassemblies
 - Globally/Locally reassemble data from scratch with better parameters & stitch the 2 assemblies together

Questions?

<http://schatzlab.cshl.edu/>
[@mike_schatz](#)

