The Resurgence of Reference Quality Genome Sequence

Michael Schatz

Jan 12, 2016 PAG XXIV



Genomics Arsenal in the year 2015



Summary & Recommendations

Reference quality genome assembly is here

- Use the longest possible reads for the analysis
- Don't fear the error rate, coverage and algorithmics conquer most problems


Megabase N50 improves the analysis in every dimension

- Better resolution of genes and flanking regulatory regions
- Better resolution of transposons and other complex sequences
- Better resolution of chromosome organization
- Better sequence for all downstream analysis

The year 2015 will mark the return to reference quality genome sequence

Selected Genomes from 2015

Saccharomyces cerevisiae ONT + Illumina




Goodwin et al. (2015)

Genome Research.

doi: 10.1101/gr.191395.115


Macrostomum lignano PacBio



Wasik et al. (2015) PNAS. doi: 10.1073/pnas.1516718112

Ananas comosus

Illumina + Moleculo + PacBio



Ming et al. (2015)
Nature Genetics.
doi: doi:10.1038/ng.3435

Selected Genomes from 2015

Saccharomyces cerevisiae ONT + Illumina




Goodwin et al. (2015)

Genome Research.

doi: 10.1101/gr.191395.115


Macrostomum lignano PacBio



Wasik et al. (2015) PNAS. doi: 10.1073/pnas.1516718112

Ananas comosus


Illumina + Moleculo + PacBio



Ming et al. (2015)
Nature Genetics.
doi: doi:10.1038/ng.3435


Contig N50

Def: 50% of the genome is in contigs as large as the N50 value




Assembly Performance

Def: 50% of the genome is in contigs as large as the N50 value



Selected Genomes from 2015




NanoCorr: Nanopore-Illumina Hybrid Error Correction



http://schatzlab.cshl.edu/data/nanocorr/

- BLAST Miseq reads to all raw Oxford Nanopore reads
- 2. Select non-repetitive alignments
 - First pass scans to remove "contained" alignments
 - Second pass uses Dynamic
 Programming (LIS) to select an optimal set of high-identity alignments
- 3. Compute consensus of each Oxford Nanopore read
 - State machine of most commonly observed base at each position in read




Oxford Nanopore sequencing, hybrid error correction, and de novo assembly of a eukaryotic genome

Goodwin, S et al. (2015) Genome Research. doi: 10.1101/gr.191395.115

NanoCorr Yeast Assembly

Contiguity: Idealized and Realized Contig Length






Oxford Nanopore sequencing, hybrid error correction, and de novo assembly of a eukaryotic genome

Goodwin, S et al. (2015) Genome Research. doi: 10.1101/gr.191395.115

NanoCorr Yeast Assembly

Completeness: Genomic Feature Analysis






NanoCorr Yeast Assembly

Correctness: Structural errors + Sequence fidelity





Structural Analysis:

Most structural differences genuine biological variants between S228C and W303.

Sequence Fidelity:

Raw accuracy: 99.78% Pilon polishing: 99.88% Gene accuracy: 99.90%

Most residual errors present in homopolymer sequences

What should we expect from an assembly?

The Three C's of Genome Quality

1. Contiguity

How does read length and sequence coverage impact contig lengths?

2. Completeness

How successful will we be reconstructing genes and other features?

3. Correctness


Does the assembled sequence faithfully represent the genome?

Data Sources:

- Meta-analysis of available 2nd and 3rd generation assemblies
- Historical analysis to the improvements to the human genome
- De novo assemblies of idealized sequencing data




Human Analysis N50s*



Technology	Application	n N50	Sample	Citation
Illumina Discovar	contig asm	178,000	NA12877	Putnam et al. (2015) arXiv:1502.05331
Moleculo Prism	phasing	563,801	NA12878	Kuleshov et al. (2014) Nature BioTech. doi:10.1038/nbt.2833
10X GemCode Long Ranger	phasing	21,600,000	GIAB	Zook <i>et al.</i> (2015) bioRxiv. doi: http://dx.doi.org/10.1101/026468
PacBio FALCON	contig asm	22,900,000	JCV-1	Jason Chin, PAG2016
BioNano IrysSolve	scaffold	28,800,000	NA12878	Pendleton et al. (2015) Nature Methods. doi:10.1038/nmeth.3454
Dovetail HiRise	scaffold	29,900,000	NA12878	Putnam et al. (2015) arXiv:1502.05331


3rd Generation Sequencing Applications

a) De novo Contig Assembly




Reconstruct the genome sequence directly from the sequenced reads (blue). Longer reads will span more repetitive elements (red), and produce longer contigs.

b) Chromosome Scaffolding




Order and orient contigs (blue) assembled from overlapping reads (black) into longer pseudo-molecules. Longer spans are more likely to connect distantly spaced contigs, especially those separated by long repeats (red).

c) Structural Variation Analysis




Identify reads/spans (red) that map to different chromosomes or discordantly within one. The longer the read/span, the more likely to capture the SV, and will have improved mappability to resolve SVs in repetitive element.

d) Haplotype Phasing




Link heterozygous variants (X/O) into phased sequences representing the original maternal (red) and paternal (blue) chromosomes. Longer reads and longer spans will be able to connect more distantly spaced variants.

Human Analysis N50s*




Technology	Application	n N50	Sample	Citation
Illumina Discovar	contig asm	178,000	NA12877	Putnam et al. (2015) arXiv:1502.05331
Moleculo Prism	phasing	563,801	NA12878	Kuleshov et al. (2014) Nature BioTech. doi:10.1038/nbt.2833
10X GemCode Long Ranger	phasing	21,600,000	GIAB	Zook <i>et al.</i> (2015) bioRxiv. doi: http://dx.doi.org/10.1101/026468
PacBio FALCON	contig asm	22,900,000	JCV-1	Jason Chin, PAG2016
BioNano IrysSolve	scaffold	28,800,000	NA12878	Pendleton et al. (2015) Nature Methods. doi:10.1038/nmeth.3454
Dovetail HiRise	scaffold	29,900,000	NA12878	Putnam et al. (2015) arXiv:1502.05331

Human Analysis N50s*




Technology	Application	n N50	Sample	Citation
Illumina Discovar	contig asm	178,000	NA12877	Putnam et al. (2015) arXiv:1502.05331
Moleculo Prism	phasing	563,801	NA12878	Kuleshov et al. (2014) Nature BioTech. doi:10.1038/nbt.2833
10X GemCode Long Ranger	phasing	21,600,000	GIAB	Zook <i>et al.</i> (2015) bioRxiv. doi: http://dx.doi.org/10.1101/026468
PacBio FALCON	contig asm	22,900,000	JCV-1	Jason Chin, PAG2016
BioNano IrysSolve	scaffold	28,800,000	NA12878	Pendleton et al. (2015) Nature Methods. doi:10.1038/nmeth.3454
Dovetail HiRise	scaffold	29,900,000	NA12878	Putnam et al. (2015) arXiv:1502.05331


Idealized Human Assemblies



Perfect Repeats in the Rice Genome




Perfect Repeats Across the Tree of Life






Idealized Human Assemblies



De novo human assemblies



What happens as we sequence the human genome with longer reads?


- Red: Sizes of the chromosome arms of HG19 from largest to shortest
- Green: Results of our assemblies using progressively longer and longer simulated reads
- Orange: Results of Illumina/ ALLPATHS assemblies

Lengths selected to represent idealized biotechnologies:

- mean I 2: Moleculo/PacBio/ONT
- mean2-4: ~10x / Chromatin
- mean I 6-32: ~Optical mapping (log-normal with increasing means)


Assembly Contiguity

How long will the contigs be using reads/spans of different lengths?




Assembly Contiguity

How long will the contigs be using reads/spans of different lengths?



Assembly Contiguity

How long will the contigs be using reads/spans of different lengths?



Genome Size (bp)

Assembly Performance

Assembly Contiguity

How

The Resurgence of Reference Quality Genomes

Hayan Lee^{1,2}, James Gurtowski¹, Shinjae Yoo³, Maria Nattestad¹, Shoshana Marcus⁴, Sara Goodwin¹, W. Richard McCombie¹, and Michael C. Schatz^{1,2}*

¹Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, 11724

²Department of Computer Science, Stony Brook University, Stony Brook, NY, 11794

Computational Science Center, Brookhaven National Laboratory, Upton, NY, 11973

⁴Department of Mathematics and Computer Science, Kingsborough Community College, City University of New York, Brooklyn, NY 11234

* corresponding author: mschatz@cshl.edu

Abstract

Several new 3rd generation long-range DNA sequencing and mapping technologies have recently become available that are creating a resurgence in high quality genome sequencing. Unlike their 2nd generation, short-read counterparts that can resolve a few hundred base-pairs, the new technologies routinely sequence 10,000 bp reads or map 100,000 bp molecules. The greater lengths are being used to enhance a number of important problems in genomics and medicine, including *de novo* genome assembly, structural variation analysis, and haplotype phasing. Here we discuss the capabilities of the technologies, and show how they will improve the "3Cs of Genomics": the contiguity, completeness, and correctness of genome sequencing. We also propose a model using support vector regression that predicts assembly performance using different read lengths or coverage that can be used for evaluating technologies. Overall, we anticipate these will uplock the genomic "dark matter" and provide many new insights into evolution







Summary & Predictions

The Three C's of Genome Quality

I. Contiguity

How does read length and sequence coverage impact contig lengths?

2. Completeness

How successful will we be reconstructing genes and other features?

3. Correctness

Does the assembled sequence faithfully represent the genome?

Predictions for 2016

- First 100 genomes will join the #1MbpCtgClub
- Enter the era of complete chromosome-level scaffolding
- First glimpses of the true complexity of chromosome evolution

Acknowledgements

Schatz Lab

Rahul Amin Han Fang Tyler Gavin

James Gurtowski

Hayan Lee

Zak Lemmon

Giuseppe Narzisi

Maria Nattestad

Aspyn Palatnick

Srividya

Ramakrishnan

Fritz Sedlazeck

Rachel Sherman

Greg Vurture

Alejandro Wences

CSHL

Hannon Lab Gingeras Lab Jackson Lab

Licks Lab

Hicks Lab

Iossifov Lab

Levy Lab

Lippman Lab

Lyon Lab

Martienssen Lab

McCombie Lab

Tuveson Lab

Ware Lab

Wigler Lab

SBU

Skiena Lab Patro Lab

Cornell

Susan McCouch Lyza Maron Mark Wright

OICR

John McPherson

Karen Ng

Timothy Beck

Yogi Sundaravadanam

NYU

Jane Carlton Elodie Ghedin



NSR

National Human













Thank you

http://schatzlab.cshl.edu @mike schatz / PAGXXIV